







ADVICE PROVIDED AFTER COMMON PAEDIATRIC SURGICAL PROCEDURES – A MULTICENTRE PROSPECTIVE STUDY

Sajeed Ali ¹, Imogen Seago ², Paediatric Surgical Trainees Research Network (PSTRN)

1. Evelina Children's Hospital, London, UK. 2. North West Anglia NHS Foundation Trust, UK

1. INTRODUCTION

There is **limited evidence** to guide **post-operative advice** given after surgery around **wound care**, return to **education** and return to **activity**. It is possible that this leads to **variation in practice**.


2. AIMS


We aimed to report the advice provided after common paediatric surgical procedures in UK, including return to education and physical activity, in both elective and emergency settings.


3. METHODOLOGY

Multicentre prospective UK observational study of advice provided by surgeons post-operatively over two-week study period.

Outcomes of interest were whether advice was provided, the methods of this and the content of advice.







c) WHAT ADVICE IS PROVIDED AFTER EACH SURGERY

Post-operative advice	Groin surgery (n=56)	Scrotal explor'n (n=19)	Circumcision/ Preputioplasty (n=17)	Laparoscopic inguinal hernia (n=12)	Umbilical/ Epigastric hernia (n=5)	Laparoscopic appendicectomy (n=4)
- :	•					
Time before stop		liar simple	e anaigesia			
Now	2	-	-	-	-	-
1-3 days	29	9	11	6	1	3
4-6 days	10	2	2	1	3	-
1-2 weeks	1	8	4	1	1	1
No advice given	14	-	4	4	T	Т
Time before first		4				2
Now	2	1	-	-	-	2
1-3 days	26	14	7	6	-	1
4-6 days	10	1	2	1	4	-
1-2 weeks	1	1	-	1	-	-
No advice given	14	2	8	4	1	1
Time before bath	/soaking	wound				
1-3 days	10	5	-	2	-	1
4-6 days	19	5	7	3	-	1
1-2 weeks	13	5	5	2	3	1
3-4 weeks	1	-	-	1	1	-
1-2 months	1	-	-	1	-	-
No advice given	12	4	5	3	1	1
Time to non-cont	act physi	cal activit	:у			
Now	-	1	-	1	-	-
4-6 days	6	-	1	1	-	1
1-2 weeks	16	4	2	-	2	2
3-4 weeks	1	4	4	1	1	-
1-2 months	4	-	-	-	2	-
No advice given	29	10	10	9	-	1
Time to contact p	hysical a	ctivity				
1-2 weeks	6	<u>-</u>	1	1	2	-
3-4 weeks	14	12	4	2	-	1
1-2 months	6	4	2	1	1	-
2-3 months	2	-	-	-	1	-
No advice given	28	3	10	8	1	2
Time before resta	arting nu	rserv/sch	ool			
Now	-	- -	- -	-	_	1
1-3 days	8	2	4		_	3
4-6 days	18	5	6	3	2	
1-2 weeks	6	1	1	1	2	
No advice given	24	11	6	8	1	
THO GUVICE BIVEII	۷7	тт	U	U		-

^{*}Groin surgery consists of Orchidopexy n = 28; Open inguinal hernia repair/ligation of PPV $\,$ n = 25

5. CONCLUSION

Variation in post-operative advice provided is demonstrated, highlighting uncertainty amongst surgeons regarding optimal post-operative care. Better evidence is required to allow adequate recovery balanced against minimising impact to the family.